

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.usplo.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/630,920	07/31/2003	Ishwinder Singh Grewal	80141-4002 ADB 7582	
23529 7	7590 04/25/2005		EXAMINER	
ADE & COMPANY 1700-360 MAIN STREET			COOLEY, CHARLES E	
WINNIPEG, MB R3C3Z3			ART UNIT	PAPER NUMBER
CANADA			1723	

DATE MAILED: 04/25/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

	Apı	olication No.	Applicant(s)				
Office Action Summary		/630,920	GREWAL, ISHWINDER SINGH				
		miner	Art Unit				
		arles E. Cooley	1723				
The MAILING DATE of this comm	unication appears	on the cover sheet with the	correspondence ad	dress			
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 2 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).							
Status							
1) Responsive to communication(s)	iled on						
2a)☐ This action is FINAL .	2b) ☐ This action	on is non-final.					
	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims							
4) ☐ Claim(s) 1-27 is/are pending in the application. 4a) Of the above claim(s) is/are withdrawn from consideration. 5) ☐ Claim(s) 1-27 is/are allowed. 6) ☐ Claim(s) is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or election requirement.							
Application Papers							
 9) The specification is objected to by the Examiner. 10) The drawing(s) filed on 31 July 2003 is/are: a) accepted or b) objected to by the Examiner. Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a). Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152. 							
Priority under 35 U.S.C. § 119			·				
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received.							
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review 3) Information Disclosure Statement(s) (PTO-1449 Paper No(s)/Mail Date 03022004.		4) Interview Summar Paper No(s)/Mail D 5) Notice of Informal 6) Other:	oate)-152)			

Part of Paper No./Mail Date 04192005

FIRST OFFICE ACTION

1. This application has been assigned to Technology Center 1700, Art Unit 1723 and the following will apply for this application:

Please direct all written correspondence with the correct application serial number for this application to Art Unit 1723.

Telephone inquiries regarding this application should be directed to the Electronic Business Center (EBC) at http://www.uspto.gov/ebc/index.html or 1-866-217-9197 or to the Examiner at (571) 272-1139. All official facsimiles should be transmitted to (703) 872-9306.

2. As the PTO continues to move towards a fully electronic environment, the office will phase-in its E-Patent Reference program. This program: (1) provides downloading capability of the U.S. patents and U.S. patent application publications cited in Office actions via the E-Patent Reference feature of the Office's PAIR system; and (2) ceases mailing paper copies of U.S. patents and U.S. patent application publications with office actions except for citations made during the international stage of an international application under PCT.

Effective June 2004, paper copies of cited U.S. patents and U.S. patent application publications will cease to be mailed to applicants with Office actions from this Technology Center. Paper copies of foreign patents and non-patent literature will continue to be included with office actions.

The U.S. patents and patent application publications cited in office actions are available for download via the Office's PAIR system. As an alternate source, all U.S.

Art Unit: 1723

patents and patent application publications are available on the USPTO web site (www.uspto.gov), from the Office of Public Records and from commercial sources.

Inquiries about the use of the Office's PAIR system should be referred to the Electronic Business Center (EBC) at http://www.uspto.gov/ebc/index.html or 1-866-217-9197.

Requests to restart a period for response due to a missing U.S. patent or patent application publications will not be granted.

Information Disclosure Statement

3. Note the attached PTO-1449 form submitted with the Information Disclosure Statement filed 2 MAR 2004.

Drawings

- 4. The drawings are objected to because of the following informalities:
 - a. the drawings are informal and do not comply with 37 CFR 1.84.
- b. Figure 1 should be designated by a legend such as --Prior Art-- because only that which is old is illustrated. See MPEP § 608.02(g).

Correction is required.

5. Applicant should verify that (1) all reference characters in the drawings are described in the detailed description portion of the specification and (2) all reference characters mentioned in the specification are included in the appropriate drawing Figure(s) as required by 37 CFR 1.84(p)(5).

Art Unit: 1723

INFORMATION ON HOW TO EFFECT DRAWING CHANGES

Replacement Drawing Sheets

Drawing changes must be made by presenting replacement figures which incorporate the desired changes and which comply with 37 CFR 1.84. An explanation of the changes made must be presented either in the drawing amendments, or remarks, section of the amendment. Any replacement drawing sheet must be identified in the top margin as "Replacement Sheet" (37 CFR 1.121(d)) and include all of the figures appearing on the immediate prior version of the sheet, even though only one figure may be amended. The figure or figure number of the amended drawing(s) must not be labeled as "amended." If the changes to the drawing figure(s) are not accepted by the examiner, applicant will be notified of any required corrective action in the next Office action. No further drawing submission will be required, unless applicant is notified.

Identifying indicia, if provided, should include the title of the invention, inventor's name, and application number, or docket number (if any) if an application number has not been assigned to the application. If this information is provided, it must be placed on the front of each sheet and centered within the top margin.

Annotated Drawing Sheets

A marked-up copy of any amended drawing figure, including annotations indicating the changes made, may be submitted or required by the examiner. The annotated drawing sheets must be clearly labeled as "Annotated Marked-up Drawings" and accompany the replacement sheets.

Timing of Corrections

Applicant is required to submit acceptable corrected drawings within the time period set in the Office action. See 37 CFR 1.85(a). Failure to take corrective action within the set period will result in ABANDONMENT of the application.

If corrected drawings are required in a Notice of Allowability (PTOL-37), the new drawings MUST be filed within the THREE MONTH shortened statutory period set for reply in the "Notice of Allowability." Extensions of time may NOT be obtained under the provisions of 37 CFR 1.136 for filing the corrected drawings after the mailing of a Notice of Allowability.

Application/Control Number: 10/630,920 Page 5

Art Unit: 1723

Specification

6. The specification has not been checked to the extent necessary to determine the presence of all possible minor errors. Applicant's cooperation is requested in correcting any errors of which applicant may become aware in the specification.

- 7. The disclosure is objected to because of the following informalities:
 - a. Page 14, line 17: delete the extraneous "\".

Appropriate correction is required.

- 8. The abstract is acceptable.
- 9. The title of the invention is not descriptive. A new title is required that is clearly indicative of the invention to which the claims are directed (MPEP 606.01).

Claim Objections

10. Claims 6, 17, and 25 are objected to because they have improper ending punctuation.

Correction is required.

Allowable Subject Matter

- 11. Claims 1-27 are allowable over the prior art of record.
- 12. The following is an Examiner's statement of reasons for the indication of allowable subject matter:

The prior art of record does not teach or fairly suggest the provision of a bed of movable bodies in the recess which bodies are free to move within the recess and

Application/Control Number: 10/630,920

Art Unit: 1723

located inwardly of the fluid injection ports and inwardly of the discharge ports wherein the movable bodies are larger than the particles and shaped to as to define interstices between the bodies so as to allow the particles to pass therebetween and wherein the movable bodies are confined within the a recess. With regard to claims 23-27, the intended cooperation between the insert member and the centrifuge breathes life and meaning into the claims to distinguish over the prior art. Hence, the intended use clause in the preamble of claim 27 is are afforded a distinguishing limitation as the body of the claim sets forth structure of the insert member that refers back to and draws life and meaning from the preamble and thus the limitations in the body of the claim are deemed to limit the insert member to the environment and use specified in the preamble. Furthermore, the preamble is considered to bestow patentable weight to the claim since the language in the body of the claim regarding the insert member depends on the preamble (the environment of the recited centrifuge apparatus) for antecedent basis (Bell Communications Research, Inc. v. Vitalink Communications Corp., 34 USPQ2d 1816, 1820 (Fed. Cir. 1995)).

Page 6

13. Any comments considered necessary by applicant must be submitted no later than the payment of the Issue Fee and, to avoid processing delays, should preferably accompany the Issue Fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Application/Control Number: 10/630,920 Page 7

Art Unit: 1723

Conclusion

14. This application is in condition for allowance except for the formal matters outlined above.

Prosecution on the merits is closed in accordance with the practice under *Ex* parte Quayle, 1935 C.D. 11, 453 O.G. 213.

A shortened statutory period for reply to this action is set to expire **TWO**MONTHS from the mailing date of this letter.

- 15. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure by showing the state of the art in centrifugal concentrators.
- 16. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Charles E. Cooley whose telephone number is (571) 272-1139. The examiner can normally be reached on Mon-Fri. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.
- 17. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Application/Control Number: 10/630,920

Art Unit: 1723

Page 8

Charles E. Cooley Primary Examiner Art Unit 1723

Charles G

19 April 2005